SAFETY DATA SHEET
according to the Hazardous Products Regulations

EXHILARATE A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/15/2025	800080002780	Date of first issue: 02/15/2025

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : EXHILARATE A
Other means of identification : No data available

Manufacturer or supplier's details
COMPANY IDENTIFICATION
Manufacturer/importer : CORTEVA AGRISCIENCE CANADA COMPANY
SUITE 240, 115 QUARRY PARK RD. SE
CALGARY AB, T2C 5G9
CANADA

Customer Information Number : 800-667-3852
E-mail address : solutions@corteva.com

Emergency telephone number : Corteva Canada Solutions: 1-800-667-3852

Recommended use of the chemical and restrictions on use
Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations
Skin sensitisation : Sub-category 1B

GHS label elements
Hazard pictograms :

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Halauxifen-methyl	Halauxifen-methyl	943831-98-9	20.85
Florasulam	Florasulam	145701-23-1	20
Sodium lignosulfonate	Sodium lignosulfonate	8061-51-6	>= 10 - < 20 *
Kaolin	Kaolin	1332-58-7	>= 10 - < 20 *
citric acid	citric acid	77-92-9	>= 3 - < 10 *
Sodium N-methyl-N-oleoyltaurine	Sodium N-methyl-N-oleoyltaurine	137-20-2	>= 1 - < 3 *
Quartz	Quartz	14808-60-7	>= 0.1 - < 0.3 *
Balance	Balance	Not Assigned	> 5

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

If swallowed : No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam
Unsuitable extinguishing media	:	None known.
Specific hazards during firefighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Hydrogen fluoride Hydrogen cyanide (hydrocyanic acid)
Specific extinguishing methods	:	Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use water spray to cool unopened containers.
Further information	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. Pick up and arrange disposal without creating dust. Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to overpressurization of the container. Sweep up and shovel. Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal.

See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.
Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Respirable)	2 mg/m3	CA AB OEL
		TWA (Respirable)	2 mg/m3	CA BC OEL
		TWAEV (respirable dust)	2 mg/m3	CA QC OEL
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH
Quartz	14808-60-7	TWA (Respirable particulates)	0.025 mg/m3	CA AB OEL
		TWA (Respirable fraction)	0.1 mg/m3	CA ON OEL
		TWA (Respirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWAEV (respirable dust)	0.05 mg/m3	CA QC OEL
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH

Engineering measures : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.
Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection	:	Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, in dusty atmospheres, use an approved particulate respirator.
Hand protection		
Remarks	:	Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.
Eye protection	:	Use safety glasses (with side shields).
Skin and body protection	:	Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Granules.
Colour	:	Tan
Odour	:	Mild
Odour Threshold	:	No data available
pH	:	5.62 (24.5 °C) Method: pH Electrode (1% aqueous suspension)
Melting point/ range	:	Not determined
Freezing point		Not applicable
Boiling point/boiling range	:	Not applicable
Flash point	:	Method: closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable

Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	No data available
Bulk density	:	0.59 g/m3 (22.6 °C) Method: Loose Volumetric
Solubility(ies)		
Water solubility	:	Not determined
Auto-ignition temperature	:	Not applicable
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	No
Oxidizing properties	:	No significant increase (>5C) in temperature.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
Conditions to avoid	:	None known.
Incompatible materials	:	Strong acids Strong bases
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Hydrogen fluoride Hydrogen cyanide (hydrocyanic acid)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 423 Symptoms: No deaths occurred at this concentration. Remarks: Information source: Internal study report
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.71 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Remarks: Information source: Internal study report
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 Symptoms: No deaths occurred at this concentration.

Remarks: Information source: Internal study report

Components:

Halauxifen-methyl:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 423
Symptoms: No deaths occurred at this concentration.

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.39 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: No deaths occurred at this concentration.

Florasulam:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.0 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Sodium lignosulfonate:

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.48 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat): 3,000 - 12,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Sodium N-methyl-N-oleoyltaurine:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation
Product:
Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Information source: Internal study report

Components:
Halauxifen-methyl:
Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Kaolin:
Species : Rabbit
Result : No skin irritation

citric acid:
Result : No skin irritation

Quartz:
Result : No skin irritation

Serious eye damage/eye irritation
Product:
Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Information source: Internal study report

Components:
Halauxifen-methyl:
Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Sodium lignosulfonate:
Result : Eye irritation

Kaolin:
Species : Rabbit
Result : No eye irritation

citric acid:
Result : Eye irritation

Sodium N-methyl-N-oleoyltaurine:
Species : Rabbit
Result : Eye irritation

Quartz:
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Test Type	:	Local lymph node assay
Species	:	Mouse
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	OECD Test Guideline 429
Remarks	:	Information source: Internal study report

Components:

Halauxifen-methyl:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

Florasulam:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Sodium lignosulfonate:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Sodium N-methyl-N-oleoyltaurine:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Halauxifen-methyl:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative.

Florasulam:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Sodium lignosulfonate:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative.

citric acid:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Sodium N-methyl-N-oleoyltaurine:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative.

Quartz:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative in some cases and positive in other cases.

Carcinogenicity

Product:

Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.

Components:

Halauxifen-methyl:

Carcinogenicity - Assessment	:	For similar active ingredient(s)., Halauxifen., Did not cause cancer in laboratory animals.

Florasulam:

Carcinogenicity - Assessment	:	Did not cause cancer in laboratory animals.

Kaolin:

Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.

citric acid:

Carcinogenicity - Assessment	:	Did not cause cancer in laboratory animals.

Quartz:

Carcinogenicity - Assessment	:	Has caused cancer in humans., Has caused cancer in laboratory animals., Human carcinogen.

Reproductive toxicity

Components:

Halauxifen-methyl:

Reproductive toxicity - Assessment	:	For similar active ingredient(s)., Halauxifen., In animal studies, did not interfere with reproduction. Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

Florasulam:

Reproductive toxicity - Assessment	:	In animal studies, did not interfere with reproduction. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

citric acid:

Reproductive toxicity - Assessment	:	In animal studies, did not interfere with reproduction. Did not cause birth defects or any other fetal effects in laboratory animals.

Sodium N-methyl-N-oleoyltaurine:

Reproductive toxicity - Assessment	:	Screening studies suggest that this material does not affect reproduction.

Quartz:

Reproductive toxicity - Assessment	:	For similar material(s):, Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Halauxifen-methyl:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Kaolin:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.

citric acid:
Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Sodium N-methyl-N-oleoyltaurine:
Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Quartz:
Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT - repeated exposure
Components:
Quartz:
Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Repeated dose toxicity
Components:
Halauxifen-methyl:
Remarks : In animals, effects have been reported on the following organs:
Kidney.
Liver.
Thyroid.

Florasulam:
Remarks : In animals, effects have been reported on the following organs:
Kidney.

Sodium lignosulfonate:
Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Kaolin:
Remarks : Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

citric acid:
Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Sodium N-methyl-N-oleoyltaurine:
Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Quartz:
Remarks : In humans, effects have been reported on the following organs:
Kidney.
Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

Aspiration toxicity
Product:
Based on physical properties, not likely to be an aspiration hazard.

Components:
Halauxifen-methyl:
Based on physical properties, not likely to be an aspiration hazard.

Florasulam:
Based on physical properties, not likely to be an aspiration hazard.

Sodium lignosulfonate:
Based on available information, aspiration hazard could not be determined.

Kaolin:
Based on physical properties, not likely to be an aspiration hazard.

citric acid:
Based on physical properties, not likely to be an aspiration hazard.

Sodium N-methyl-N-oleoyltaurine:
Based on available information, aspiration hazard could not be determined.

Quartz:
Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Rainbow trout (Oncorhynchus mykiss)): 35 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Information source: Internal study report
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.0478 mg/l Exposure time: 72 h Test Type: static test ErC50 (Myriophyllum spicatum): 0.00387 mg/l Exposure time: 14 d Test Type: static test NOEC (Myriophyllum spicatum): 0.000305 mg/l Exposure time: 14 d Test Type: static test EC50 (Lemna gibba (duckweed)): 0.0017 mg/l Exposure time: 7 d Test Type: Growth inhibition Method: OECD Test Guideline 221
Toxicity to soil dwelling organisms	:	LC50 (Eisenia andrei (red worm)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). oral LD50 (Colinus virginianus (Bobwhite quail)): > 2000 mg/kg bodyweight.

oral LD50 (Anas platyrhynchos (Mallard duck)): > 2000 mg/kg bodyweight.

oral LD50 (Apis mellifera (bees)): > 212.6 µg/bee
Exposure time: 48 h

contact LD50 (Apis mellifera (bees)): > 200 µg/bee
Exposure time: 48 h

Components:

Halauxifen-methyl:

Toxicity to fish	:	LC50 (Rainbow trout (Oncorhynchus mykiss)): 2.01 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.12 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 3.0 mg/l Exposure time: 96 h ErC50 (Myriophyllum spicatum): 0.000056 mg/l End point: Growth rate inhibition Exposure time: 14 d Test Type: Static renewal test ErC50 (blue-green algae): > 3.0 mg/l Exposure time: 96 h ErC50 (Lemna gibba (duckweed)): > 2.27 mg/l Exposure time: 7 d NOEC (Myriophyllum spicatum): 0.0000025 mg/l End point: Growth rate inhibition Exposure time: 14 d Test Type: Static renewal test ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.50 mg/l Exposure time: 72 h NOEC (Lemna gibba (duckweed)): 0.121 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.536 mg/l Exposure time: 35 d Test Type: flow-through test Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.484 mg/l End point: number of offspring Exposure time: 21 d Test Type: semi-static test
Toxicity to microorganisms	:	EC50 (activated sludge): > 981 mg/l

Exposure time: 1 d

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
End point: mortality

Toxicity to terrestrial organisms : dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
Exposure time: 5 d
Method: Other guidelines

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
Exposure time: 5 d
Method: Other guidelines

oral LD50 (Colinus virginianus (Bobwhite quail)): > 2250 mg/kg bodyweight.
End point: mortality

contact LD50 (Apis mellifera (bees)): > 98.1 µg/bee
Exposure time: 48 h
End point: mortality

oral LD50 (Apis mellifera (bees)): > 108 µg/bee
Exposure time: 48 h
End point: mortality

Florasulam:

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 292 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.00894 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

EC50 (Myriophyllum spicatum): > 0.305 mg/l
End point: Growth inhibition
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 119 mg/l
End point: mortality

Exposure time: 28 d
Test Type: flow-through test

NOEC (Pimephales promelas (fathead minnow)): > 2.9 mg/l
End point: Other
Exposure time: 33 d
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 38.90 mg/l
End point: growth
Exposure time: 21 d
Test Type: semi-static test

MATC (Maximum Acceptable Toxicant Level) (Daphnia magna (Water flea)): 50.2 mg/l
End point: growth
Exposure time: 21 d
Test Type: semi-static test

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,320 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : Remarks: Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg)., Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50 (Coturnix japonica (Japanese quail)): 1047 mg/kg bodyweight.

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 ppm
Exposure time: 8 d

oral LD50 (Apis mellifera (bees)): > 100 micrograms/bee
Exposure time: 48 h

contact LD50 (Apis mellifera (bees)): > 100 micrograms/bee
Exposure time: 48 h

Sodium lignosulfonate:

Toxicity to fish : Remarks: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50 (Pimephales promelas (fathead minnow)): 615 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent
Remarks: For this family of materials:

citric acid:

Toxicity to fish : Remarks: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,516 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,535 mg/l
Exposure time: 24 h
Test Type: Static
Method: OECD Test Guideline 202 or Equivalent

Sodium N-methyl-N-oleoyltaurine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.32 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5.76 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 197 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2 mg/l
Exposure time: 21 d

Quartz:

Toxicity to fish : Remarks: Not expected to be acutely toxic to aquatic organisms.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Halauxifen-methyl:

Biodegradability : O2 consumption
Result: Not biodegradable
Biodegradation: 38.68 %
Exposure time: 14 d
Method: OECD Test Guideline 301D

Florasulam:

Biodegradability : Result: Not biodegradable
Biodegradation: 2 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Biochemical Oxygen Demand (BOD) : 0.012 kg/kg
Incubation time: 5 d

ThOD : 0.85 kg/kg

Stability in water : Degradation half life: > 30 d

Photodegradation : Rate constant: 7.04E-11 cm3/s

Method: Estimated.

Sodium lignosulfonate:

Biodegradability : Result: Not biodegradable
Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301E
Remarks: 10-day Window: Fail

Photodegradation : Rate constant: 1.089E-10 cm3/s
Method: Estimated.

citric acid:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Pass

aerobic
Result: Readily biodegradable.
Biodegradation: 98 %
Exposure time: 7 d
Method: OECD Test Guideline 302B or Equivalent
Remarks: 10-day Window: Not applicable

Sodium N-methyl-N-oleoyltaurine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Pass
Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Quartz:

Biodegradability : Remarks: Biodegradation is not applicable.

Bioaccumulative potential

Components:

Halauxifen-methyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 233
Exposure time: 42 d
Temperature: 21.8 °C
Concentration: 0.00194 mg/l

Partition coefficient: n-octanol/water : log Pow: 3.76
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Florasulam:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 0.8
Exposure time: 28 d
Temperature: 13 °C
Method: Measured

Partition coefficient: n-octanol/water : log Pow: -1.22
pH: 7.0
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Sodium lignosulfonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 3.2

Partition coefficient: n-octanol/water : log Pow: -3.45
Method: Estimated.
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

citric acid:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 0.01
Method: Measured

Partition coefficient: n-octanol/water : log Pow: -1.72 (20 °C)
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Sodium N-methyl-N-oleoyltaurine:

Partition coefficient: n-octanol/water : Pow: 1.36 (20 °C)
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Quartz:

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil

Components:

Halauxifen-methyl:

Distribution among environmental compartments : Koc: 5684
Remarks: Expected to be relatively immobile in soil (Koc > 5000).

Florasulam:

Distribution among environmental compartments : Koc: 4 - 54
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Stability in soil : Dissipation time: 0.7 - 4.5 d

Sodium lignosulfonate:

Distribution among environmental compartments : Koc: > 99999
Method: Estimated.
Remarks: Expected to be relatively immobile in soil (Koc > 5000).

citric acid:

Distribution among environmental compartments : Remarks: No relevant data found.

Quartz:

Distribution among environmental compartments : Remarks: No relevant data found.

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Components:

Halauxifen-methyl:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Florasulam:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Sodium lignosulfonate:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Kaolin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

citric acid:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Sodium N-methyl-N-oleoyltaurine:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Quartz:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment	:	This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).
Ozone-Depletion Potential	:	Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florasulam, Halauxifen-methyl)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Florasulam, Halauxifen-methyl)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florasulam, Halauxifen-methyl)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes(Florasulam, Halauxifen-methyl)
Remarks	:	Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable for product as supplied.
National Regulations

TDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florasulam, Halauxifen-methyl)
Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Florasulam, Halauxifen-methyl)

Further information
Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

For Canadian Ground transportation TDG Exemption: 1.45.1 Marine Pollutants (Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply if they are in transport solely on land by road vehicle or railway vehicle).

Special precautions for user
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL	:	This product contains components that are not listed on the Canadian DSL nor NDSL.

Pest Control Products Act (PCPA) Registration Number : 33803

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:
PCPA Label Hazard Communications:
Read the label and booklet before using. Keep out of reach of children.

POTENTIAL SKIN SENSITIZER

This product is toxic to:
Aquatic organisms
Non-target terrestrial plants

SECTION 16. OTHER INFORMATION

Information Source and References
This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.
DSL - Domestic substances List. WHMIS - Workplace Hazardous Materials Information System.

Revision Date	:	02/15/2025
Date format	:	mm/dd/yyyy

Product code: GF-2687

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N