

HERBICIDE  
POST-EMERGENCEGROUP  
2GROUP  
27MULTI  
MODE  
OF ACTION

## APPLICATION GUIDELINES

**Destra™ IS****HERBICIDE**

Destra™ IS herbicide delivers convenient, one-pass, early post-emergence weed control in glyphosate-tolerant corn.



Field Corn

**WHY USE DESTRA™ IS HERBICIDE?**

- **Easy to use.** Advanced dry blend formulation and low use rate of Destra IS makes sprayer loading efficient and allows you to cover more acres
- **Wide application window.** Destra IS has both knockdown and residual activity allowing you to start as early as the 3-leaf stage and spray as late as the 8-leaf stage
- **Excellent crop safety.** Because Destra IS contains isoxadifen, a built-in safener, Destra IS provides crop safety on a wide range of hybrids including short-season corn hybrids

**WEEDS CONTROLLED**

- Common lamb's-quarters
- Common ragweed\*
- Eastern black nightshade
- Fall panicum
- Green foxtail
- Green pigweed
- Old witchgrass
- Quackgrass\*
- Redroot pigweed
- Velvetleaf
- Volunteer canola<sup>1</sup>

**CROPS**

Field corn

**RATES AND ACRES TREATED**

**Rates:**  
110 g/ac  
**Acres treated:**  
• 40 ac/4.4 kg jug  
**Water volume:**  
• 15-20 US gal/ac

**PACKAGING**

**Case:**  
• 2 x 4.4 kg jugs

**WHEN TO APPLY**

**Crop Stage:** 3 to 8 leaf stage of corn (2-6 visible collars)  
**Weed Stage:** Ideal application timing is when weeds are small and the extended residual activity can help to control later flushes of weeds.

**RAINFAST**

• 2 hours

**HERBICIDE TANK MIXES**

**Registered:**  
Glyphosate (glyphosate-tolerant corn only)  
AAtrex® Liquid 480  
**Supported:**  
Lontrel™ XC

**Application information**

For post-emergence applications, Destra™ IS herbicide must be tank-mixed with a recommended non-ionic surfactant, either Citowett Plus, Agral® 90 or Ag-Surf® at 2 L per 1,000 L spray solution (0.2% v/v).

When Destra IS is tank-mixed with glyphosate, a non-ionic surfactant is not required.

**Crop rotation****4 months:** Winter wheat**10 months:** Field corn**11 months:** Soybeans, white beans and potatoes**Pre-harvest interval**

- The PHI is 100 days.

\* Suppression

<sup>1</sup> Excluding Clearfield® canola